| 2024 – 2028 Amateur Extra Question Pool Study Guide Arranged by Jim Gallacher SUBELEMENT E1 - COMMISSION RULES [6 Exam Questions - 6 Groups] E1A Frequency privileges; signal frequency range; automatic message forwarding; stations aboard ships or aircraft; power restriction on 630- and 2200-meter bands E1A01 Why is it not legal to transmit a 3 kHz bandwidth USB signal with a carrier frequency of 14.348 MHz? The upper 1 kHz of the signal is outside the 20- meter band E1A02 When using a transceiver that displays the carrier frequency of phone signals, which of the following displayed frequencies represents the lowest frequency at which a properly adjusted LSB emission will be totally within the band? 3 kHz above the lower band edge E1A03 What is the highest legal carrier frequency on the 20-meter band for transmitting a 2.8 kHz wide USB data signal? 14.1472 MHz E1A04 May an Extra class operator answer the CQ of a station on 3.601 MHz LSB phone? No, the sideband components will extend beyond the edge of the phone band segment E1A05 Who must be in physical control of the station apparatus of an amateur station aboard any vessel or craft that is documented or registered in the United States? | violation of FCC rules, who is primarily accountable for the rules violation? The control operator of the originating station E1A09 Except in some parts of Alaska, what is the maximum power permitted on the 630-meter band? 5 watts EIRP (equivalent isotropic radiated power) E1A10 If an amateur station is installed aboard a ship or aircraft, what condition must be met before the station is operated? Its operation must be approved by the master of the ship or the pilot in command of the aircraft E1A11 What licensing is required when operating an amateur station aboard a US-registered vessel in international waters? Any FCC-issued amateur license E1B Station restrictions and special operations: restrictions; spurious emission; antenna structure restrictions; RACES operations E1B01 Which of the following constitutes a spurious emission? An emission outside the signal's necessary bandwidth that can be reduced or eliminated without affecting the information transmitted E1B02 Which of the following is an acceptable bandwidth for digital voice or slow-scan TV transmissions made on the HF amateur bands? 3 kHz E1B03 Within what distance must an amateur station protect an FCC monitoring facility from harmful | An area surrounding the National Radio Astronomy Observatory E1B06 Which of the following additional rules apply if you are erecting an amateur station antenna structure at a site at or near a public use airport? You may have to notify the Federal Aviation Administration and register it with the FCC as required by Part 17 of the FCC rules E1B07 To what type of regulations does PRB-1 apply? State and local zoning E1B08 What limitations may the FCC place on an amateur station if its signal causes interference to domestic broadcast reception, assuming that the receivers involved are of good engineering design? The amateur station must avoid transmitting during certain hours on frequencies that cause the interference E1B09 Which amateur stations may be operated under RACES rules? Any FCC-licensed amateur station certified by the responsible civil defense organization for the area served E1B10 What frequencies are authorized to an amateur station operating under RACES rules? All amateur service frequencies authorized to the control operator E1B11 What does PRB-1 require of state and local regulations affecting amateur radio antenna size and structures? Reasonable accommodations of amateur radio must be made |
|---|--|---|
| Any person holding an FCC issued amateur license or who is authorized for alien reciprocal operation E1A06 What is the required transmit frequency of a CW signal for channelized 60 meter operation? At the center frequency of the channel E1A07 What is the maximum power permitted on the 2200-meter band? 1 watt EIRP (equivalent isotropic radiated power) E1A08 If a station in a message forwarding system inadvertently forwards a message that is in | interference? 1 mile E1B04 What must the control operator of a repeater operating in the 70-centimeter band do if a radiolocation system experiences interference from that repeater? Cease operation or make changes to the repeater that mitigate the interference E1B05 What is the National Radio Quiet Zone? | E1C Automatic and remote control; band-specific regulations; operating in and communicating with foreign countries; spurious emission standards; HF modulation index limit; band-specific rules E1C01 What is the maximum bandwidth for a data emission on 60 meters? 2.8 kHz |

| E1C02 Which of the following apply to communications transmitted to amateur stations in foreign countries? Communications must be limited to those incidental to the purpose of the amateur service and remarks of a personal nature E1C03 How long must an operator wait after filing a notification with the Utilities Technology Council (UTC) before operating on the 2200-meter or 630-meter band? Operators may operate after 30 days, providing they have not been told that their station is within 1 kilometer of PLC systems using those frequencies E1C04 What is an IARP? A permit that allows US amateurs to operate in certain countries of the Americas E1C05 Under what situation may a station transmit third party communications while being automatically controlled? Only when transmitting RTTY or data emissions E1C06 Which of the following is required in order to operate in accordance with CEPT rules in foreign countries where permitted? You must have a copy of FCC Public Notice DA 16-1048 E1C07 What notifications must be given before transmitting on the 630- or 2200-meter bands? Operators must inform the Utilities Technology Council (UTC) of their call sign and coordinates of the station E1C08 What is the maximum permissible duration of a remotely controlled station's transmissions if its control link malfunctions? 3 minutes E1C09 What is the highest modulation index permitted at the highest modulation frequency for angle modulation below 29.0 MHz? | E1C10 What is the maximum mean power level for a spurious emission below 30 MHz with respect to the fundamental emission? -43 dB E1C11 Which of the following operating arrangements allows an FCC-licensed US citizen to operate in many European countries, and amateurs from many European countries to operate in the US? CEPT E1C12 In what portion of the 630-meter band are phone emissions permitted? The entire band E1D Amateur Space and Earth stations; telemetry and telecommand rules; identification of balloon transmissions; one-way communications E1D01 What is the definition of telemetry? One-way transmission of measurements at a distance from the measuring instrument E1D02 Which of the following may transmit encrypted messages? Telecommand signals from a space telecommand station E1D03 What is a space telecommand station? An amateur station that transmits communications to initiate, modify, or terminate functions of a space station E1D04 Which of the following is required in the identification transmissions from a balloon-borne telemetry station? Call sign E1D05 What must be posted at the location of a station being operated by telecommand on or within 50 kilometers of the Earth's surface? All these choices are correct A photocopy of the station license A label with the name, address, and telephone number of the station licensee | E1D06 What is the maximum permitted transmitter output power when operating a model craft by telecommand? 1 watt E1D07 Which of the following HF amateur bands include allocations for space stations? 40 meters, 20 meters, 15 meters, and 10 meters E1D08 Which VHF amateur bands have frequencies authorized for space stations? 2 meters E1D09 Which UHF amateur bands have frequencies authorized for space stations? 70 centimeters and 13 centimeters E1D10 Which amateur stations are eligible to be telecommand stations of space stations, subject to the privileges of the class of operator license held by the control operator of the station? Any amateur station so designated by the space station licensee E1D11 Which amateur stations are eligible to operate as Earth stations? Any amateur station, subject to the privileges of the class of operator license held by the control operator license held by the control operator stations? Any amateur station, subject to the privileges of the class of operator license held by the control operator E1D12 Which of the following amateur stations may transmit one-way communications? A space station, beacon station, or telecommand station E1E Volunteer examiner program: definitions; qualifications; preparation and administration of exams; reimbursement; accreditation; question pools; documentation requirements E1E01 For which types of out-of-pocket expenses do the Part 97 rules state that VEs and VECs may be reimbursed? Preparing, processing, administering, and coordinating an examination for an amateur radio operator license |
|--|---|---|
|--|---|---|

| E1E02 Who is tasked by Part 97 with maintaining the pools of questions for all US amateur license examinations? The VECs E1E03 What is a Volunteer Examiner Coordinator? An organization that has entered into an agreement | E1E11 What must the VE team do if an examinee scores a passing grade on all examination elements needed for an upgrade or new license? Three VEs must certify that the examinee is qualified for the license grant and that they have complied with the administering VE requirements | E1F07 When may an amateur station send a message to a business? When neither the amateur nor their employer has a pecuniary interest in the communications E1F08 Which of the following types of amateur station communications are prohibited? |
|---|--|---|
| with the FCC to coordinate, prepare, and administer amateur operator license examinations E1E04 What is required to be accredited as a Volunteer Examiner? A VEC must confirm that the VE applicant meets FCC requirements to serve as an examiner E1E05 What must the VE team do with the application form if the examinee does not pass the application form if the examinee does not pass the | E1F Miscellaneous rules: external RF power amplifiers; prohibited communications; spread spectrum; auxiliary stations; Canadian amateurs operating in the US; special temporary authority E1F01 On what frequencies are spread spectrum transmissions permitted? Only on amateur frequencies above 222 MHz E1F02 What privileges are authorized in the US to persons holding an amateur service license granted | Communications transmitted for hire or material compensation, except as otherwise provided in the rules E1F09 Which of the following cannot be transmitted over an amateur radio mesh network? Messages encoded to obscure their meaning E1F10 Who may be the control operator of an auxiliary station? Only Technician, General, Advanced, or Amateur |
| exam? Return the application document to the examinee E1E06 Who is responsible for the proper conduct and necessary supervision during an amateur operator license examination session? Each administering VE E1E07 What should a VE do if a candidate fails to comply with the examiner's instructions during an | by the government of Canada? The operating terms and conditions of the Canadian amateur service license, not to exceed US Amateur Extra class license privileges E1F03 Under what circumstances may a dealer sell an external RF power amplifier capable of operation below 144 MHz if it has not been granted FCC certification? | Extra class operators E1F11 Which of the following best describes one of the standards that must be met by an external RF power amplifier if it is to qualify for a grant of FCC certification? It must satisfy the FCC's spurious emission standards when operated at the lesser of 1500 watts or its full output power |
| amateur operator license examination? Immediately terminate the candidate's examination E1E08 To which of the following examinees may a VE not administer an examination? Relatives of the VE as listed in the FCC rules E1E09 What may be the penalty for a VE who fraudulently administers or certifies an | The amplifier is constructed or modified by an amateur radio operator for use at an amateur station E1F04 Which of the following geographic descriptions approximately describes "Line A"? A line roughly parallel to and south of the border between the US and Canada | SUBELEMENT E2 - OPERATING PROCEDURES [5 Exam Questions - 5 Groups] E2A Amateur radio in space: amateur satellites; orbital mechanics; frequencies and modes; satellite hardware; satellite operations E2A01 What is the direction of an ascending pass for an amateur satellite? |
| examination? Revocation of the VE's amateur station license grant and the suspension of the VE's amateur operator license grant E1E10 What must the administering VEs do after the administration of a successful examination for an amateur operator license? They must submit the application document to the | E1F05 Amateur stations may not transmit in which of the following frequency segments if they are located in the contiguous 48 states and north of Line A? 420 MHz - 430 MHz E1F06 Under what circumstances might the FCC issue a Special Temporary Authority (STA) to an amateur station? | From south to north E2A02 Which of the following is characteristic of an inverting linear transponder? All these choices are correct Doppler shift is reduced because the uplink and downlink shifts are in opposite directions Signal position in the band is reversed Upper sideband on the uplink becomes lower sideband on the uplink becomes lower sideband |
| coordinating VEC according to the coordinating VEC instructions | To provide for experimental amateur communications | on the downlink, and vice versa |

| E2A03 How is an upload signal processed by an inverting linear transponder? The signal is mixed with a local oscillator signal and | E2B Television practices: fast-scan television standards and techniques; slow scan television standards and techniques | E2B11 What is the function of the vertical interval signaling (VIS) code sent as part of an SSTV transmission? |
|---|--|---|
| the difference product is transmitted E2A04 What is meant by the "mode" of an amateur radio satellite? | E2B01 In digital television, what does a coding rate of 3/4 mean? 25% of the data sent is forward error correction | To identify the SSTV mode being used E2B12 What signals SSTV receiving software to begin a new picture line? |
| The satellite's uplink and downlink frequency bands | data | Specific tone frequencies |
| E2A05 What do the letters in a satellite's mode designator specify? | E2B02 How many horizontal lines make up a fast- scan (NTSC) television frame? | E2C Contest and DX operating; remote operation techniques; log data format; contact confirmation; |
| The uplink and downlink frequency ranges | 525 | RF network systems |
| E2A06 What are Keplerian elements? | E2B03 How is an interlaced scanning pattern | E2C01 What indicator is required to be used by US- |
| Parameters that define the orbit of a satellite | generated in a fast-scan (NTSC) television system? | licensed operators when operating a station via |
| E2A07 Which of the following types of signals can be relayed through a linear transponder? | By scanning odd-numbered lines in one field and even-numbered lines in the next | remote control and the remote transmitter is located in the US? |
| All these choices are correct | E2B04 How is color information sent in analog SSTV? | No additional indicator is required |
| FM and CW | Color lines are sent sequentially | E2C02 Which of the following file formats is used for |
| SSB and SSTV | E2B05 Which of the following describes the use of | exchanging amateur radio log data? |
| PSK and packet | vestigial sideband in analog fast-scan TV | ADIF |
| E2A08 Why should effective radiated power (ERP) be | transmissions? | E2C03 From which of the following bands is amateur |
| limited to a satellite that uses a linear | Vestigial sideband reduces the bandwidth while | radio contesting generally excluded? |
| transponder? | increasing the fidelity of low frequency video | 30 meters |
| To avoid reducing the downlink power to all other | components | E2C04 Which of the following frequencies can be |
| users | E2B06 What is vestigial sideband modulation? | used for amateur radio mesh networks? |
| E2A09 What do the terms "L band" and "S band" specify? | Amplitude modulation in which one complete sideband and a portion of the other are | Frequencies shared with various unlicensed wireless data services |
| The 23- and 13-centimeter bands | transmitted | E2C05 What is the function of a DX QSL Manager? |
| E2A10 What type of satellite appears to stay in one position in the sky? | E2B07 Which types of modulation are used for amateur television DVB-T signals? | Handle the receiving and sending of confirmations for a DX station |
| Geostationary | QAM and QPSK | E2C06 During a VHF/UHF contest, in which band |
| E2A11 What type of antenna can be used to | E2B08 What technique allows commercial analog TV | segment would you expect to find the highest level |
| minimize the effects of spin modulation and Faraday rotation? | receivers to be used for fast-scan TV operations on | of SSB or CW activity? |
| A circularly polarized antenna | the 70-centimeter band? | In the weak signal segment of the band, with most |
| | Transmitting on channels shared with cable TV | of the activity near the calling frequency |
| E2A12 What is the purpose of digital store-and- forward functions on an amateur radio satellite? | E2B09 What kind of receiver can be used to receive | E2C07 What is the Cabrillo format? |
| To hold digital messages in the satellite for later | and decode SSTV using the Digital Radio Mondiale | A standard for submission of electronic contest logs |
| download | (DRM) protocol? | E2C08 Which of the following contacts may be |
| E2A13 Which of the following techniques is used by | SSB | confirmed through the Logbook of The World |
| digital satellites to relay messages? | E2B10 What aspect of an analog slow-scan television | (LoTW)? |
| Store-and-forward | signal encodes the brightness of the picture? | All these choices are correct |
| Store-and-forward | Tone frequency | Special event contacts between stations in the US |

| Contacts between a US station and a non-US station Contacts for Worked All States credit E2C09 What type of equipment is commonly used to | E2D06 Which of the following is a method for establishing EME contacts? | Multiple receive cycles are averaged E2E08 Which of the following HF digital modes can |
|---|--|--|
| implement an amateur radio mesh network? | Time-synchronous transmissions alternating between stations | be used to transfer binary files? PACTOR |
| A wireless router running custom firmware | E2D07 What digital protocol is used by APRS? | E2E09 Which of the following HF digital modes uses |
| E2C10 Why do DX stations often transmit and receive | AX.25 | variable-length character coding? |
| on different frequencies? | E2D08 What type of packet frame is used to transmit | |
| All these choices are correct | APRS beacon data? | E2E10 Which of these digital modes has the |
| Because the DX station may be transmitting on a | Unnumbered Information | narrowest bandwidth? |
| frequency that is prohibited to some responding | E2D09 What type of modulation is used by JT65? | FT8 |
| stations | Multitone AFSK | E2E11 What is the difference between direct FSK and |
| To separate the calling stations from the DX station | E2D10 What does the packet path WIDE3-1 | audio FSK? |
| To improve operating efficiency by reducing interference | designate? | Direct FSK modulates the transmitter VFO |
| E2C11 How should you generally identify your station | Three digipeater hops are requested with one | E2E12 How do ALE stations establish contact? |
| when attempting to contact a DX station during a | remaining | ALE constantly scans a list of frequencies, activating |
| contest or in a pileup? Send your full call sign once or twice | E2D11 How do APRS stations relay data? | the radio when the designated call sign is received |
| E2C12 What indicates the delay between a control | By packet digipeaters | E2E13 Which of these digital modes has the highest |
| operator action and the corresponding change in | E2E Operating methods: digital modes and | data throughput under clear communication |
| the transmitted signal? | procedures for HF | conditions? |
| Latency | E2E01 Which of the following types of modulation is | PACTOR IV |
| E2D Operating methods: digital modes and | used for data emissions below 30 MHz? | SUBELEMENT E3 - RADIO WAVE PROPAGATION [3 |
| procedures for VHF and UHF; APRS; EME | FSK | Exam Questions - 3 Groups] |
| procedures; meteor scatter procedures | E2E02 Which of the following synchronizes WSJT-X | E3A Electromagnetic Waves and Specialized |
| E2D01 Which of the following digital modes is | digital mode transmit/receive timing? | Propagation: Earth-Moon-Earth (EME) |
| designed for meteor scatter communications? | Synchronization of computer clocks | communications; meteor scatter; microwave |
| MSK144 | E2E03 To what does the "4" in FT4 refer? | tropospheric and scatter propagation; auroral |
| E2D02 What information replaces signal-to-noise | Four-tone continuous-phase frequency shift keying | propagation; daily variation of ionospheric |
| ratio when using the FT8 or FT4 modes in a VHF | E2E04 Which of the following is characteristic of the | propagation; circular polarization |
| contest? | FST4 mode? | E3A01 What is the approximate maximum |
| Grid square | All these choices are correct | separation measured along the surface of the |
| E2D03 Which of the following digital modes is | Four-tone Gaussian frequency shift keying Variable transmit/receive periods | Earth between two stations communicating by |
| designed for EME communications? | Seven different tone spacings | EME? |
| Q65 | E2E05 Which of these digital modes does not support | 12,000 miles, if the moon is "visible" by both |
| E2D04 What technology is used for real-time tracking | keyboard-to-keyboard operation? | stations |
| of balloons carrying amateur radio transmitters? | WSPR | E3A02 What characterizes libration fading of an EME |
| APRS | E2E06 What is the length of an FT8 transmission | signal? |
| E2D05 What is the characteristic of the JT65 mode? | cycle? | A fluttery, irregular fading |
| Decodes signals with a very low signal-to-noise ratio | 15 seconds | E3A03 When scheduling EME contacts, which of these conditions will generally result in the least |
| | E2E07 How does Q65 differ from JT65? | path loss? |
| | | |

| When the Moon is at perigee | chordal hop; sporadic-E mechanisms; ground-wave | Between sunrise and sunset |
|---|--|--|
| E3A04 In what direction does an electromagnetic | propagation | E3B12 What is chordal-hop propagation? |
| wave travel? | E3B01 Where is transequatorial propagation (TEP) | Successive ionospheric refractions without an |
| It travels at a right angle to the electric and | most likely to occur? | intermediate reflection from the ground |
| magnetic fields | Between points separated by 2,000 miles to 3,000 | E3B13 What type of polarization is supported by |
| E3A05 How are the component fields of an | miles over a path perpendicular to the | ground-wave propagation? |
| electromagnetic wave oriented? | geomagnetic equator | Vertical |
| They are at right angles | E3B02 What is the approximate maximum range for | E3C Propagation prediction and reporting: radio |
| E3A06 What should be done to continue a long- | signals using transequatorial propagation? | horizon; effects of space-weather phenomena |
| distance contact when the MUF for that path | 5,000 miles | E3C01 What is the cause of short-term radio |
| decreases due to darkness? | E3B03 At what time of day is transequatorial | blackouts? |
| Switch to a lower frequency HF band | propagation most likely to occur? | Solar flares |
| E3A07 Atmospheric ducts capable of propagating | Afternoon or early evening | E3C02 What is indicated by a rising A-index or K- |
| microwave signals often form over what | E3B04 What are "extraordinary" and "ordinary" | index? |
| geographic feature? | waves? | Increasing disturbance of the geomagnetic field |
| Large bodies of water | Independently propagating, elliptically polarized | E3C03 Which of the following signal paths is most |
| E3A08 When a meteor strikes the Earth's | waves created in the ionosphere | likely to experience high levels of absorption when |
| atmosphere, a linear ionized region is formed at | E3B05 Which of the following paths is most likely to | the A-index or K-index is elevated? |
| what region of the ionosphere? | support long-distance propagation on 160 meters? | Through the auroral oval |
| The E region | A path entirely in darkness | E3C04 What does the value of Bz (B sub z) represent? |
| E3A09 Which of the following frequency ranges is | E3B06 On which of the following amateur bands is | North-south strength of the interplanetary |
| most suited for meteor-scatter communications? | long-path propagation most frequent? | magnetic field |
| 28 MHz - 148 MHz | 40 meters and 20 meters | E3C05 What orientation of Bz (B sub z) increases the |
| E3A10 What determines the speed of | E3B07 What effect does lowering a signal's | likelihood that charged particles from the Sun will |
| electromagnetic waves through a medium? | transmitted elevation angle have on ionospheric | cause disturbed conditions? |
| The index of refraction | HF skip propagation? | Southward |
| E3A11 What is a typical range for tropospheric duct | The distance covered by each hop increases | E3C06 How does the VHF/UHF radio horizon |
| propagation of microwave signals? | E3B08 How does the maximum range of ground- | compare to the geographic horizon? |
| 100 miles to 300 miles | wave propagation change when the signal | It is approximately 15 percent farther |
| E3A12 What is most likely to result in auroral | frequency is increased? | E3C07 Which of the following indicates the greatest |
| propagation? | It decreases | solar flare intensity? |
| Severe geomagnetic storms | E3B09 At what time of year is sporadic-E propagation | Class X |
| E3A13 Which of these emission modes is best for | most likely to occur? | E3C08 Which of the following is the space-weather |
| auroral propagation? | Around the solstices, especially the summer solstice | term for an extreme geomagnetic storm? |
| CW | E3B10 What is the effect of chordal-hop | G5 |
| E3A14 What are circularly polarized electromagnetic | propagation? | E3C09 What type of data is reported by amateur |
| waves? | The signal experiences less loss compared to multi- | radio propagation reporting networks? |
| Waves with rotating electric and magnetic fields | hop propagation, which uses Earth as a reflector | Digital-mode and CW signals |
| E3B Transequatorial propagation; long-path | E3B11 At what time of day is sporadic-E propagation | E3C10 What does the 304A solar parameter |
| propagation; ordinary and extraordinary waves; | most likely to occur? | measure? |

| UV emissions at 304 angstroms, correlated to the solar flux index E3C11 What does VOACAP software model? HF propagation E3C12 Which of the following is indicated by a sudden rise in radio background noise across a large portion of the HF spectrum? A coronal mass ejection impact or a solar flare has | E4A07 Which of the following is an advantage of using an antenna analyzer compared to an SWR bridge? Antenna analyzers compute SWR and impedance automatically E4A08 Which of the following is used to measure SWR? All these choices are correct | S21 E4B04 Which S parameter represents input port return loss or reflection coefficient (equivalent to VSWR)? S11 E4B05 What three test loads are used to calibrate an RF vector network analyzer? Short circuit, open circuit, and 50 ohms |
|---|---|--|
| occurred SUBELEMENT E4 - AMATEUR PRACTICES [5 Exam Questions - 5 Groups] E4A Test equipment: analog and digital instruments; spectrum analyzers; antenna analyzers; oscilloscopes; RF measurements E4A01 Which of the following limits the highest frequency signal that can be accurately displayed on a digital oscilloscope? Sampling rate of the analog-to-digital converter | Directional wattmeter Vector network analyzer Antenna analyzer E4A09 Which of the following is good practice when using an oscilloscope probe? Minimize the length of the probe's ground connection E4A10 Which trigger mode is most effective when using an oscilloscope to measure a linear power supply's output ripple? | E4B06 How much power is being absorbed by the load when a directional power meter connected between a transmitter and a terminating load reads 100 watts forward power and 25 watts reflected power? 75 watts E4B07 What do the subscripts of S parameters represent? The port or ports at which measurements are made E4B08 Which of the following can be used to |
| Sampling rate of the analog-to-digital converter E4A02 Which of the following parameters does a spectrum analyzer display on the vertical and horizontal axes? Signal amplitude and frequency E4A03 Which of the following test instruments is used to display spurious signals and/or intermodulation distortion products generated by | Line E4A11 Which of the following can be measured with an antenna analyzer? All these choices are correct Velocity factor Cable length Resonant frequency of a tuned circuit | determine the Q of a series-tuned circuit? The bandwidth of the circuit's frequency response E4B09 Which of the following can be measured by a two-port vector network analyzer? Filter frequency response E4B10 Which of the following methods measures intermodulation distortion in an SSB transmitter? |
| an SSB transmitter? Spectrum analyzer E4A04 How is compensation of an oscilloscope probe performed? A square wave is displayed, and the probe is adjusted until the horizontal portions of the displayed wave are as nearly flat as possible E4A05 What is the purpose of using a prescaler with | E4B Measurement technique and limitations: instrument accuracy and performance limitations; probes; techniques to minimize errors; measurement of Q; instrument calibration; S parameters; vector network analyzers; RF signals E4B01 Which of the following factors most affects the accuracy of a frequency counter? Time base accuracy | Modulate the transmitter using two AF signals having non-harmonically related frequencies and observe the RF output with a spectrum analyzer E4B11 Which of the following can be measured with a vector network analyzer? All these choices are correct Input impedance Output impedance Reflection coefficient |
| a frequency counter? Reduce the signal frequency to within the counter's operating range E4A06 What is the effect of aliasing on a digital oscilloscope when displaying a waveform? A false, jittery low-frequency version of the waveform is displayed | E4B02 What is the significance of voltmeter sensitivity expressed in ohms per volt? The full scale reading of the voltmeter multiplied by its ohms per volt rating is the input impedance of the voltmeter E4B03 Which S parameter is equivalent to forward gain? | E4C Receiver performance: phase noise, noise floor, image rejection, minimum detectable signal (MDS), increasing signal-to-noise ratio and dynamic range, noise figure, reciprocal mixing; selectivity; SDR non-linearity; use of attenuators at low frequencies |

5

| E4C01 What is an effect of excessive phase noise in an SDR receiver's master clock oscillator? It can combine with strong signals on nearby frequencies to generate interference E4C02 Which of the following receiver circuits can be effective in eliminating interference from strong out-of-band signals? | E4C11 Why does input attenuation reduce receiver overload on the lower frequency HF bands with little or no impact on signal-to-noise ratio? Atmospheric noise is generally greater than internally generated noise even after attenuation E4C12 How does a narrow-band roofing filter affect receiver performance? | E4D05 What transmitter frequencies would create an intermodulation-product signal in a receiver tuned to 146.70 MHz when a nearby station transmits on 146.52 MHz? 146.34 MHz and 146.61 MHz E4D06 What is the term for the reduction in receiver sensitivity caused by a strong signal near the |
|---|---|--|
| A front-end filter or preselector | It improves blocking dynamic range by attenuating | received frequency? |
| E4C03 What is the term for the suppression in an FM | strong signals near the receive frequency | Desensitization |
| receiver of one signal by another stronger signal on | E4C13 What is reciprocal mixing? | E4D07 Which of the following reduces the likelihood |
| the same frequency? | Local oscillator phase noise mixing with adjacent | of receiver desensitization? |
| Capture effect | strong signals to create interference to desired | Insert attenuation before the first RF stage |
| E4C04 What is the noise figure of a receiver? | signals | E4D08 What causes intermodulation in an electronic |
| The ratio in dB of the noise generated by the | E4C14 What is the purpose of the receiver IF Shift | circuit? |
| receiver to the theoretical minimum noise | control? | Nonlinear circuits or devices |
| E4C05 What does a receiver noise floor of -174 dBm | To reduce interference from stations transmitting | E4D09 What is the purpose of the preselector in a |
| represent? The theoretical noise in a 1 Hz bandwidth at the | on adjacent frequencies | communications receiver? |
| input of a perfect receiver at room temperature | E4D Receiver performance characteristics: dynamic | To increase the rejection of signals outside the band being received |
| E4C06 How much does increasing a receiver's | range; intermodulation and cross-modulation | E4D10 What does a third-order intercept level of 40 |
| bandwidth from 50 Hz to 1,000 Hz increase the | interference; third-order intercept; desensitization; | dBm mean with respect to receiver performance? |
| receiver's noise floor? | preselector; sensitivity; link margin | A pair of 40 dBm input signals will theoretically |
| 13 dB | E4D01 What is meant by the blocking dynamic range of a receiver? | generate a third-order intermodulation product |
| E4C07 What does the MDS of a receiver represent? | The difference in dB between the noise floor and | that has the same output amplitude as either of |
| The minimum discernible signal | the level of an incoming signal that will cause 1 dB | the input signals |
| E4C08 An SDR receiver is overloaded when input | of gain compression | E4D11 Why are odd-order intermodulation products, |
| signals exceed what level? | E4D02 Which of the following describes problems | created within a receiver, of particular interest |
| The reference voltage of the analog-to-digital | caused by poor dynamic range in a receiver? | compared to other products? |
| converter | Spurious signals caused by cross modulation and | Odd-order products of two signals in the band being |
| E4C09 Which of the following choices is a good | desensitization from strong adjacent signals | received are also likely to be within the band |
| reason for selecting a high IF for a | E4D03 What creates intermodulation interference | E4D12 What is the link margin in a system with a |
| superheterodyne HF or VHF communications | between two repeaters in close proximity? | transmit power level of 10 W (+40 dBm), a system |
| receiver? | The output signals mix in the final amplifier of one | antenna gain of 10 dBi, a cable loss of 3 dB, a path |
| Easier for front-end circuitry to eliminate image | or both transmitters | loss of 136 dB, a receiver minimum discernable |
| responses | E4D04 Which of the following is used to reduce or | signal of -103 dBm, and a required signal-to-noise |
| E4C10 What is an advantage of having a variety of receiver bandwidths from which to select? | eliminate intermodulation interference in a | ratio of 6 dB? |
| Receive bandwidth can be set to match the | repeater caused by a nearby transmitter? | +8dB |
| modulation bandwidth, maximizing signal-to- | A properly terminated circulator at the output of | E4D13 What is the received signal level with a transmit power of 10 W (+40 dBm), a transmit |
| noise ratio and minimizing interference | the repeater's transmitter | |

| antenna gain of 6 dBi, a receive antenna gain of 3 dBi, and a path loss of 100 dB? -51 dBm E4D14 What power level does a receiver minimum discernible signal of -100 dBm represent? 0.1 picowatts E4E Noise and interference: external RF interference; electrical and computer noise; line noise; DSP filtering and noise reduction; common-mode current; surge protectors; single point ground panel | Common-mode currents on the shield and conductors E4E08 What current flows equally on all conductors of an unshielded multiconductor cable? Common-mode current E4E09 What undesirable effect can occur when using a noise blanker? Strong signals may be distorted and appear to cause spurious emissions E4E10 Which of the following can create intermittent loud roaring or buzzing AC line interference? | Resonance E5A02 What is the resonant frequency of an RLC circuit if R is 22 ohms, L is 50 microhenries, and C is 40 picofarads? 3.56 MHz E5A03 What is the magnitude of the impedance of a series RLC circuit at resonance? Approximately equal to circuit resistance E5A04 What is the magnitude of the impedance of a parallel RLC circuit at resonance? Approximately equal to circuit resistance |
|--|---|--|
| E4E01 What problem can occur when using an automatic notch filter (ANF) to remove interfering carriers while receiving CW signals? Removal of the CW signal as well as the interfering carrier E4E02 Which of the following types of noise can often be reduced by a digital noise reduction? All these choices are correct Broadband white noise Ignition noise Power line noise E4E03 Which of the following types of noise are removed by a noise blanker? Impulse noise E4E04 How can conducted noise from an automobile battery charging system be suppressed? By installing ferrite chokes on the charging system leads E4E05 What is used to suppress radio frequency interference from a line-driven AC motor? A brute-force AC-line filter in series with the motor's power leads E4E06 What type of electrical interference can be caused by computer network equipment? The appearance of unstable modulated or unmodulated signals at specific frequencies | All these choices are correct Arcing contacts in a thermostatically controlled device A defective doorbell or doorbell transformer inside a nearby residence A malfunctioning illuminated advertising display E4E11 What could be the cause of local AM broadcast band signals combining to generate spurious signals on the MF or HF bands? Nearby corroded metal connections are mixing and reradiating the broadcast signals E4E12 What causes interference received as a series of carriers at regular intervals across a wide frequency range? Switch-mode power supplies E4E13 Where should a station AC surge protector be installed? On the single point ground panel E4E14 What is the purpose of a single point ground panel? Ensure all lightning protectors activate at the same time SUBELEMENT E5 - ELECTRICAL PRINCIPLES [4 Exam Questions - 4 Groups] E5A Resonance and Q: characteristics of resonant circuits; series and parallel resonance; definitions and effects of Q; half-power bandwidth | E5A05 What is the result of increasing the Q of an impedance-matching circuit? Matching bandwidth is decreased E5A06 What is the magnitude of the circulating current within the components of a parallel LC circuit at resonance? It is at a maximum E5A07 What is the magnitude of the current at the input of a parallel RLC circuit at resonance? Minimum E5A08 What is the phase relationship between the current through and the voltage across a series resonant circuit at resonance? The voltage and current are in phase E5A09 How is the Q of an RLC parallel resonant circuit calculated? Resistance divided by the reactance of either the inductance or capacitance E5A10 What is the resonant frequency of an RLC circuit if R is 33 ohms, L is 50 microhenries, and C is 10 picofarads? 7.12 MHz E5A11 What is the half-power bandwidth of a resonant circuit that has a resonant frequency of 7.1 MHz and a Q of 150? 47.3 kHz |
| E4E07 Which of the following can cause shielded cables to radiate or receive interference? | E5A01 What can cause the voltage across reactances in a series RLC circuit to be higher than the voltage applied to the entire circuit? | E5A12 What is the half-power bandwidth of a resonant circuit that has a resonant frequency of 3.7 MHz and a Q of 118? |

| 31.4 kHz E5A13 What is an effect of increasing Q in a series resonant circuit? | E5B09 What is the relationship between the AC current through a capacitor and the voltage across a capacitor? | On the horizontal axis E5C08 What coordinate system is often used to display the phase angle of a circuit containing |
|---|---|--|
| Internal voltages increase | Current leads voltage by 90 degrees | resistance, inductive, and/or capacitive reactance? |
| E5B Time constants and phase relationships: RL and | E5B10 What is the relationship between the AC | Polar coordinates |
| RC time constants; phase angle in reactive circuits | current through an inductor and the voltage across | E5C09 When using rectangular coordinates to graph |
| and components; admittance and susceptance | an inductor? | the impedance of a circuit, what do the axes |
| E5B01 What is the term for the time required for the | Voltage leads current by 90 degrees | represent? |
| • | E5B11 What is the phase angle between the voltage | The X axis represents the resistive component, and |
| capacitor in an RC circuit to be charged to 63.2% of | across and the current through a series RLC circuit | the Y axis represents the reactive component |
| the applied voltage or to discharge to 36.8% of its | if XC is 25 ohms, R is 100 ohms, and XL is 75 ohms? | E5C10 Which point on Figure E5-1 best represents |
| initial voltage? | 27 degrees with the voltage leading the current | the impedance of a series circuit consisting of a |
| One time constant | E5B12 What is admittance? | 400-ohm resistor and a 38-picofarad capacitor at |
| E5B02 What letter is commonly used to represent | The inverse of impedance | 14 MHz? |
| susceptance? | | Point 4 |
| В | E5C Coordinate systems and phasors in electronics: | |
| E5B03 How is impedance in polar form converted to | rectangular coordinates; polar coordinates; | Figure E5-1 |
| an equivalent admittance? | phasors; logarithmic axes | +Y |
| Take the reciprocal of the magnitude and change | E5C01 Which of the following represents pure | 000 |
| the sign of the angle | capacitive reactance of 100 ohms in rectangular | 500 |
| E5B04 What is the time constant of a circuit having | notation? | 400 Point 3 |
| two 220-microfarad capacitors and two 1-megohm | 0 - j100 | 300 • Point 2 |
| resistors, all in parallel? | E5C02 How are impedances described in polar | 200 |
| 220 seconds | coordinates? | |
| E5B05 What is the effect on the magnitude of pure | By magnitude and phase angle | Point 8 Point 6 |
| reactance when it is converted to susceptance? | E5C03 Which of the following represents a pure | -X |
| It is replaced by its reciprocal | inductive reactance in polar coordinates? | -100 |
| E5B06 What is susceptance? | A positive 90 degree phase angle | -200 |
| The imaginary part of admittance | E5C04 What type of Y-axis scale is most often used | Point 5 • -300 • Point 4 |
| E5B07 What is the phase angle between the voltage | for graphs of circuit frequency response? | |
| across and the current through a series RLC circuit | Logarithmic | Point 7 Point 1 |
| if XC is 500 ohms, R is 1 kilohm, and XL is 250 | E5C05 What kind of diagram is used to show the | |
| ohms? | phase relationship between impedances at a given | |
| 14.0 degrees with the voltage lagging the current | frequency? | -Y |
| E5B08 What is the phase angle between the voltage | Phasor diagram | E5C11 Which point in Figure E5-1 best represents the |
| across and the current through a series RLC circuit | E5C06 What does the impedance 50 - j25 ohms | impedance of a series circuit consisting of a 300- |
| if XC is 300 ohms, R is 100 ohms, and XL is 100 | represent? | ohm resistor and an 18-microhenry inductor at |
| ohms? | 50 ohms resistance in series with 25 ohms | 3.505 MHz? |
| 63 degrees with the voltage lagging the current | capacitive reactance | Point 3 |
| | E5C07 Where is the impedance of a pure resistance | E5C12 Which point on Figure E5-1 best represents |
| | plotted on rectangular coordinates? | the impedance of a series circuit consisting of a |
| Good from July 1 2024 to June 30 2028 | n6jlg@arrl.net | 10 |

| 300-ohm resistor and a 19-picofarad capacitor at 21.200 MHz? Point 1 E5D RF effects in components and circuits: skin effect; real and reactive power; electrical length of conductors E5D01 What is the result of conductor skin effect? Resistance increases as frequency increases because RF current flows closer to the surface E5D02 Why is it important to keep lead lengths short for components used in circuits for VHF and above? | E5D11 How much real power is consumed in a circuit consisting of a 100-ohm resistor in series with a 100-ohm inductive reactance drawing 1 ampere? 100 watts E5D12 What is reactive power? Wattless, nonproductive power SUBELEMENT E6 - CIRCUIT COMPONENTS [6 Exam Questions - 6 Groups] E6A Semiconductor materials and devices: semiconductor materials; bipolar junction transistors; operation and types of field-effect transistors | E6A08 What is the term for the frequency at which the grounded-base current gain of a bipolar junction transistor has decreased to 0.7 of the gain obtainable at 1 kHz? Alpha cutoff frequency E6A09 What is a depletion-mode field-effect transistor (FET)? An FET that exhibits a current flow between source and drain when no gate voltage is applied E6A10 In Figure E6-1, which is the schematic symbol for an N-channel dual-gate MOSFET? 4 |
|--|--|---|
| To minimize inductive reactance | E6A01 In what application is gallium arsenide used as a semiconductor material? | Figure E6-1 |
| E5D03 What is the phase relationship between current and voltage for reactive power? | In microwave circuits | |
| They are 90 degrees out of phase | E6A02 Which of the following semiconductor | |
| E5D04 Why are short connections used at microwave | materials contains excess free electrons? | |
| frequencies? | N-type | 1 2 3 |
| To reduce phase shift along the connection | E6A03 Why does a PN-junction diode not conduct | |
| E5D05 What parasitic characteristic causes | current when reverse biased? | |
| electrolytic capacitors to be unsuitable for use at | Holes in P-type material and electrons in the N-type | |
| RF? | material are separated by the applied voltage, | |
| Inductance | widening the depletion region | |
| E5D06 What parasitic characteristic creates an inductor's self-resonance? | E6A04 What is the name given to an impurity atom that adds holes to a semiconductor crystal | 4 5 6 |
| Inter-turn capacitance | structure? | FCA11 In Figure FC 1, which is the schemetic symbol |
| E5D07 What combines to create the self-resonance | Acceptor impurity | E6A11 In Figure E6-1, which is the schematic symbol for a P-channel junction FET? |
| of a component? | E6A05 How does DC input impedance at the gate of a | |
| The component's nominal and parasitic reactance | field-effect transistor (FET) compare with that of a | • E6A12 What is the purpose of connecting Zener |
| E5D08 What is the primary cause of loss in film | bipolar transistor? | diodes between a MOSFET gate and its source or |
| capacitors at RF? | An FET has higher input impedance | drain? |
| Skin effect | E6A06 What is the beta of a bipolar junction | To protect the gate from static damage |
| E5D09 What happens to reactive power in ideal | transistor? | E6B Diodes |
| inductors and capacitors? Energy is stored in magnetic or electric fields, but | The change in collector current with respect to the change in base current | E6B01 What is the most useful characteristic of a |
| power is not dissipated | E6A07 Which of the following indicates that a silicon | Zener diode? |
| E5D10 As a conductor's diameter increases, what is | NPN junction transistor is biased on? | A constant voltage drop under conditions of varying |
| the effect on its electrical length? | Base-to-emitter voltage of approximately 0.6 volts | current |
| It increases | to 0.7 volts | E6B02 Which characteristic of a Schottky diode |
| | | makes it a better choice than a silicon junction diode for use as a power supply rectifier? |
| | | aroue for use us a power suppry rectifier: |

| Lower forward voltage drop | E6C Digital ICs: families of digital ICs; gates; | Figure E6-3 |
|--|--|---|
| E6B03 What property of an LED's semiconductor material determines its forward voltage drop? | programmable logic devices | |
| Band gap | E6C01 What is the function of hysteresis in a | |
| E6B04 What type of semiconductor device is | comparator? | |
| designed for use as a voltage-controlled capacitor? | To prevent input noise from causing unstable | |
| Varactor diode | output signals | 1 2 3 |
| E6B05 What characteristic of a PIN diode makes it | E6C02 What happens when the level of a | |
| useful as an RF switch? | comparator's input signal crosses the threshold | |
| Low junction capacitance | voltage? | — |
| E6B06 Which of the following is a common use of a | The comparator changes its output state | |
| Schottky diode? | E6C03 What is tri-state logic? | |
| As a VHF/UHF mixer or detector | Logic devices with 0, 1, and high-impedance output | 4 5 6 |
| E6B07 What causes a junction diode to fail from | states | E6C11 In Figure E6-3, which is the schematic |
| excessive current? | E6C04 Which of the following is an advantage of | symbol for the NOT operation (inversion)? |
| Excessive junction temperature | BiCMOS logic? | 5 |
| E6B08 Which of the following is a Schottky barrier | It has the high input impedance of CMOS and the low output impedance of bipolar transistors | E6D Inductors and piezoelectricity: permeability, |
| diode? | E6C05 Which of the following digital logic families | core material and configuration; transformers; |
| Metal-semiconductor junction | has the lowest power consumption? | piezoelectric devices |
| E6B09 What is a common use for point-contact | CMOS | E6D01 What is piezoelectricity? |
| diodes? | E6C06 Why do CMOS digital integrated circuits have | A characteristic of materials that generate a voltage |
| As an RF detector | high immunity to noise on the input signal or | when stressed and that flex when a voltage is |
| E6B10 In Figure E6-2, which is the schematic symbol | power supply? | applied |
| for a Schottky diode? | The input switching threshold is about half the | E6D02 What is the equivalent circuit of a quartz |
| 6 | power supply voltage | crystal? |
| Figure E6-2 | E6C07 What best describes a pull-up or pull-down | Series RLC in parallel with a shunt C representing |
| rigure Lo-z | resistor? | electrode and stray capacitance |
| N | A resistor connected to the positive or negative | E6D03 Which of the following is an aspect of the |
| | supply used to establish a voltage when an input | piezoelectric effect? |
| | or output is an open circuit | Mechanical deformation of material due to the |
| 1 2 3 4 | E6C08 In Figure E6-3, which is the schematic symbol | application of a voltage |
| • • • | for a NAND gate? | E6D04 Why are cores of inductors and transformers |
| | 2 | sometimes constructed of thin layers? |
| | E6C09 What is used to design the configuration of a | To reduce power loss from eddy currents in the core |
| | field-programmable gate array (FPGA)? | E6D05 How do ferrite and powdered iron compare |
| | Hardware description language (HDL) | for use in an inductor core? |
| ວ ບ / 8 | E6C10 In Figure E6-3, which is the schematic symbol | Ferrite cores generally require fewer turns to |
| E6B11 What is used to control the attenuation of RF | for a NOR gate? | produce a given inductance value |
| signals by a PIN diode? | 4 | E6D06 What core material property determines the |
| Forward DC bias current | | inductance of an inductor? |


Good from July 1 2024 to June 30 2028

| Permeability E6D07 What is the current that flows in the primary winding of a transformer when there is no load on the secondary winding? Magnetizing current E6D08 Which of the following materials has the highest temperature stability of its magnetic characteristics? | E6E05 Which of the following noise figure values is typical of a low-noise UHF preamplifier? 0.5 dB E6E06 What characteristics of MMICs make them a popular choice for VHF through microwave circuits? Controlled gain, low noise figure, and constant input and output impedance over the specified | Electrons E6F02 What happens to photoconductive material when light shines on it? Resistance decreases E6F03 What is the most common configuration of an optoisolator or optocoupler? An LED and a phototransistor E6F04 What is the photovoltaic effect? |
|--|---|--|
| Powdered iron E6D09 What devices are commonly used as VHF and UHF parasitic suppressors at the input and output terminals of a transistor HF amplifier? Ferrite beads E6D10 What is a primary advantage of using a toroidal core instead of a solenoidal core in an inductor? Toroidal cores confine most of the magnetic field within the core material E6D11 Which type of core material decreases inductance when inserted into a coil? Brass | frequency range E6E07 What type of transmission line is often used for connections to MMICs? Microstrip E6E08 How is power supplied to the most common type of MMIC? Through a resistor and/or RF choke connected to the amplifier output lead E6E09 Which of the following component package types have the least parasitic effects at frequencies above the HF range? Surface mount E6E10 What advantage does surface-mount | The conversion of light to electrical energy E6F05 Which of the following describes an optical shaft encoder? A device that detects rotation by interrupting a light source with a patterned wheel E6F06 Which of these materials is most commonly used to create photoconductive devices? Crystalline semiconductor E6F07 What is a solid-state relay? A device that uses semiconductors to implement the functions of an electromechanical relay E6F08 Why are optoisolators often used in conjunction with solid-state circuits that control |
| E6D12 What causes inductor saturation? Operation at excessive magnetic flux E6E Semiconductor materials and packages for RF use E6E01 Why is gallium arsenide (GaAs) useful for semiconductor devices operating at UHF and higher frequencies? Higher electron mobility E6E02 Which of the following device packages is a through-hole type? DIP E6E03 Which of the following materials supports the highest frequency of operation when used in MMICs? | technology offer at RF compared to using throughhole components? All these choices are correct Smaller circuit area Shorter circuit board traces Components have less parasitic inductance and capacitance E6E11 What is a characteristic of DIP packaging used for integrated circuits? Two rows of connecting pins on opposite sides of package (dual in-line package) E6E12 Why are DIP through-hole package ICs not typically used at UHF and higher frequencies? Excessive lead length | 120 VAC circuits? Optoisolators provide an electrical isolation between a control circuit and the circuit being switched E6F09 What is the efficiency of a photovoltaic cell? The relative fraction of light that is converted to current E6F10 What is the most common material used in power-generating photovoltaic cells? Silicon E6F11 What is the approximate open-circuit voltage produced by a fully illuminated silicon photovoltaic cell? 0.5 volts |
| Gallium nitride E6E04 Which is the most common input and output impedance of MMICs? 50 ohms | E6F Electro-optical technology: photoconductivity; photovoltaic devices; optical sensors and encoders; optically isolated switching E6F01 What absorbs the energy from light falling on a photovoltaic cell? | SUBELEMENT E7 - PRACTICAL CIRCUITS [8 Exam Questions - 8 Groups] E7A Digital circuits: digital circuit principles and logic circuits; classes of logic elements; positive and negative logic; frequency dividers; truth tables |

| E7A01 Which circuit is bistable? |
|---|
| A flip-flop |
| E7A02 What is the function of a decade counter? |
| It produces one output pulse for every 10 input |
| pulses |
| E7A03 Which of the following can divide the frequency of a pulse train by 2? |
| A flip-flop |
| E7A04 How many flip-flops are required to divide a |
| signal frequency by 16? |
| 4 |
| E7A05 Which of the following circuits continuously |
| alternates between two states without an external |
| clock signal? |
| Astable multivibrator |
| E7A06 What is a characteristic of a monostable |
| multivibrator? |
| It switches temporarily to an alternate state for a |
| set time |
| E7A07 What logical operation does a NAND gate |
| perform? |
| It produces a 0 at its output only if all inputs are 1 |
| E7A08 What logical operation does an OR gate |
| perform? |
| It produces a 1 at its output if any input is 1 |
| E7A09 What logical operation is performed by a two- |
| input exclusive NOR gate? |
| It produces a 0 at its output if one and only one of its inputs is 1 |
| E7A10 What is a truth table? |
| A list of inputs and corresponding outputs for a |
| digital device |
| E7A11 What does "positive logic" mean in reference |
| to logic devices? |
| High voltage represents a 1, low voltage a 0 |
| E7B Amplifiers: class of operation; vacuum tube and |
| solid-state circuits; distortion and intermodulation; |
| spurious and parasitic suppression; switching-type |

E7B01 For what portion of the signal cycle does each active element in a push-pull, Class AB amplifier conduct? More than 180 degrees but less than 360 degrees E7B02 What is a Class D amplifier? An amplifier that uses switching technology to achieve high efficiency E7B03 What circuit is required at the output of an RF switching amplifier? A filter to remove harmonic content E7B04 What is the operating point of a Class A common emitter amplifier? Approximately halfway between saturation and cutoff E7B05 What can be done to prevent unwanted oscillations in an RF power amplifier? Install parasitic suppressors and/or neutralize the stage E7B06 What is a characteristic of a grounded-grid amplifier? Low input impedance E7B07 Which of the following is the likely result of using a Class C amplifier to amplify a singlesideband phone signal? Signal distortion and excessive bandwidth E7B08 Why are switching amplifiers more efficient than linear amplifiers? The switching device is at saturation or cutoff most of the time E7B09 What is characteristic of an emitter follower (or common collector) amplifier? Input and output signals in-phase E7B10 In Figure E7-1, what is the purpose of R1 and R2? Voltage divider bias E7B11 In Figure E7-1, what is the purpose of R3? Self bias E7B12 What type of amplifier circuit is shown in Figure E7-1? **Common emitter**

Figure E7-1



- E7C Filters and matching networks: types of networks; types of filters; filter applications; filter characteristics; impedance matching
- E7C01 How are the capacitors and inductors of a low-pass filter Pi-network arranged between the network's input and output?
- A capacitor is connected between the input and ground, another capacitor is connected between the output and ground, and an inductor is connected between the input and output
- E7C02 What is the frequency response of a Tnetwork with series capacitors and a shunt inductor?

High-pass

E7C03 What is the purpose of adding an inductor to a Pi-network to create a Pi-L-network?

Greater harmonic suppression

- E7C04 How does an impedance-matching circuit transform a complex impedance to a resistive impedance?
- It cancels the reactive part of the impedance and changes the resistive part to the desired value E7C05 Which filter type has ripple in the passband and a sharp cutoff?

amplifiers

A Chebyshev filter

- E7C06 What are the characteristics of an elliptical filter?
- Extremely sharp cutoff with one or more notches in the stop band
- E7C07 Which describes a Pi-L network?
- A Pi-network with an additional output series inductor
- E7C08 Which of the following is most frequently used as a band-pass or notch filter in VHF and UHF transceivers?

A helical filter

- E7C09 What is a crystal lattice filter?
- A filter for low-level signals made using quartz crystals
- E7C10 Which of the following filters is used in a 2meter band repeater duplexer?

A cavity filter

E7C11 Which of the following measures a filter's ability to reject signals in adjacent channels?

Shape factor

E7D Power supplies and voltage regulators; solar array charge controllers

E7D01 How does a linear electronic voltage regulator work?

The conduction of a control element is varied to maintain a constant output voltage

E7D02 How does a switchmode voltage regulator work?

By varying the duty cycle of pulses input to a filter

E7D03 What device is used as a stable voltage reference?

A Zener diode


E7D04 Which of the following describes a three-terminal voltage regulator?

A series regulator

E7D05 Which of the following types of linear voltage regulator operates by loading the unregulated voltage source? A shunt regulator E7D06 What is the purpose of Q1 in the circuit shown in Figure E7-2?

It controls the current to keep the output voltage constant

Figure E7-2



E7D07 What is the purpose of C2 in the circuit shown in Figure E7-2? It bypasses rectifier output ripple around D1 E7D08 What type of circuit is shown in Figure E7-2? Linear voltage regulator E7D09 How is battery operating time calculated? Capacity in amp-hours divided by average current E7D10 Why is a switching type power supply less expensive and lighter than an equivalent linear power supply? The high frequency inverter design uses much smaller transformers and filter components for an equivalent power output E7D11 What is the purpose of an inverter connected to a solar panel output? Convert the panel's output from DC to AC E7D12 What is the dropout voltage of a linear voltage regulator?

Minimum input-to-output voltage required to maintain regulation

E7D13 Which of the following calculates power dissipated by a series linear voltage regulator? Voltage difference from input to output multiplied by output current E7D14 What is the purpose of connecting equalvalue resistors across power supply filter capacitors connected in series? All these choices are correct Equalize the voltage across each capacitor Discharge the capacitors when voltage is removed Provide a minimum load on the supply E7D15 What is the purpose of a step-start circuit in a high-voltage power supply? To allow the filter capacitors to charge gradually E7E Modulation and demodulation: reactance, phase, and balanced modulators; detectors; mixers E7E01 Which of the following can be used to generate FM phone signals? Reactance modulation of a local oscillator E7E02 What is the function of a reactance modulator? **Produce PM or FM signals by varying a capacitance** E7E03 What is a frequency discriminator? A circuit for detecting FM signals E7E04 What is one way to produce a single-sideband phone signal? Use a balanced modulator followed by a filter E7E05 What is added to an FM speech channel to boost the higher audio frequencies? A pre-emphasis network E7E06 Why is de-emphasis used in FM communications receivers? For compatibility with transmitters using phase modulation E7E07 What is meant by the term "baseband" in radio communications? The frequency range occupied by a message signal prior to modulation E7E08 What are the principal frequencies that appear at the output of a mixer?

| The two input frequencies along with their sum and difference frequencies E7E09 What occurs when the input signal levels to a mixer are too high? Spurious mixer products are generated E7E10 How does a diode envelope detector function? By rectification and filtering of RF signals E7E11 Which type of detector is used for demodulating SSB signals? Product detector | E7F07 What function is performed by a Fast Fourier Transform? Converting signals from the time domain to the frequency domain E7F08 What is the function of decimation? Reducing the effective sample rate by removing samples E7F09 Why is an anti-aliasing filter required in a decimator? It removes high-frequency signal components that would otherwise be reproduced as lower | E7G02 What is the frequency response of the circuit in E7-3 if a capacitor is added across the feedback resistor? Low-pass filter E7G03 What is the typical input impedance of an op- amp? Very high E7G04 What is meant by the term "op-amp input offset voltage"? The differential input voltage needed to bring the open loop output voltage to zero |
|---|---|--|
| E7F Software defined radio fundamentals: digital signal processing (DSP) filtering, modulation, and demodulation; analog-digital conversion; digital filters | frequency components E7F10 What aspect of receiver analog-to-digital conversion determines the maximum receive bandwidth of a direct-sampling software defined | E7G05 How can unwanted ringing and audio instability be prevented in an op-amp audio filter? Restrict both gain and Q E7G06 What is the gain-bandwidth of an operational |
| E7F01 What is meant by "direct sampling" in software defined radios? Incoming RF is digitized by an analog-to-digital converter without being mixed with a local oscillator signal E7F02 What kind of digital signal processing audio filter is used to remove unwanted noise from a received SSB signal? An adaptive filter | radio (SDR)? Sample rate E7F11 What sets the minimum detectable signal level for a direct-sampling software defined receiver in the absence of atmospheric or thermal noise? Reference voltage level and sample width in bits E7F12 Which of the following is generally true of Finite Impulse Response (FIR) filters? | amplifier? The frequency at which the open-loop gain of the amplifier equals one E7G07 What voltage gain can be expected from the circuit in Figure E7 3 when R1 is 10 ohms and RF is 470 ohms? 47 E7G08 How does the gain of an ideal operational amplifier vary with frequency? |
| E7F03 What type of digital signal processing filter is used to generate an SSB signal? A Hilbert-transform filter E7F04 Which method generates an SSB signal using digital signal processing? Signals are combined in quadrature phase relationship | FIR filters can delay all frequency components of the signal by the same amount E7F13 What is the function of taps in a digital signal processing filter? Provide incremental signal delays for filter algorithms E7F14 Which of the following would allow a digital signal processing filter to create a sharper filter | It does not vary with frequency Figure E7-3 |
| E7F05 How frequently must an analog signal be sampled to be accurately reproduced? At least twice the rate of the highest frequency component of the signal E7F06 What is the minimum number of bits required to sample a signal with a range of 1 volt at a resolution of 1 millivolt? 10 bits | Signal processing inter to create a snarper inter response? More taps E7G Operational amplifiers: characteristics and applications E7G01 What is the typical output impedance of an op-amp? Very low | |

| E7G09 What will be the output voltage of the circuit shown in Figure E7-3 if R1 is 1,000 ohms, RF is 10,000 ohms, and 0.23 volts DC is applied to the input? -2.3 volts E7G10 What absolute voltage gain can be expected | E7H07 How can an oscillator's microphonic responses be reduced? Mechanically isolate the oscillator circuitry from its enclosure E7H08 Which of the following components can be used to reduce thermal drift in crystal oscillators? | E8A02 Which of the following is a type of analog-to-digital conversion? Successive approximation E8A03 Which of the following describes a signal in the time domain? Amplitude at different times |
|--|--|--|
| from the circuit in Figure E7-3 when R1 is 1,800 ohms and RF is 68 kilohms? 38 E7G11 What absolute voltage gain can be expected from the circuit in Figure E7-3 when R1 is 3,300 | NPO capacitors E7H09 What type of frequency synthesizer circuit uses a phase accumulator, lookup table, digital-to- analog converter, and a low-pass anti-alias filter? A direct digital synthesizer | E8A04 What is "dither" with respect to analog-to-digital converters? A small amount of noise added to the input signal to reduce quantization noise E8A05 What is the benefit of making voltage |
| ohms and RF is 47 kilohms? 14 E7G12 What is an operational amplifier? A high-gain, direct-coupled differential amplifier with very high input impedance and very low | E7H10 What information is contained in the lookup table of a direct digital synthesizer (DDS)?Amplitude values that represent the desired waveform | measurements with a true-RMS calculating meter? RMS is measured for both sinusoidal and non- sinusoidal signals E8A06 What is the approximate ratio of PEP-to- average power in an unprocessed single-sideband |
| output impedance E7H Oscillators and signal sources: types of oscillators; synthesizers and phase-locked loops; direct digital synthesizers; stabilizing thermal drift; | E7H11 What are the major spectral impurity components of direct digital synthesizers? Spurious signals at discrete frequencies E7H12 Which of the following ensures that a crystal oscillator operates on the frequency specified by | phone signal? 2.5 to 1 E8A07 What determines the PEP-to-average power ratio of an unprocessed single-sideband phone |
| microphonics; high-accuracy oscillators E7H01 What are three common oscillator circuits? Colpitts, Hartley, and Pierce E7H02 What is a microphonic? Changes in oscillator frequency caused by | the crystal manufacturer? Provide the crystal with a specified parallel capacitance E7H13 Which of the following is a technique for providing highly accurate and stable oscillators | signal? Speech characteristics E8A08 Why are direct or flash conversion analog-to- digital converters used for a software defined radio? |
| mechanical vibration E7H03 What is a phase-locked loop? An electronic servo loop consisting of a phase detector, a low-pass filter, a voltage-controlled | needed for microwave transmission and reception? All these choices are correct Use a GPS signal reference Use a rubidium stabilized reference oscillator | Very high speed allows digitizing high frequencies E8A09 How many different input levels can be encoded by an analog-to-digital converter with 8- bit resolution? |
| oscillator, and a stable reference oscillator E7H04 How is positive feedback supplied in a Colpitts oscillator? Through a capacitive divider E7H05 How is positive feedback supplied in a Pierce | Use a temperature-controlled high Q dielectric resonator SUBELEMENT E8 - SIGNALS AND EMISSIONS [4 Exam Questions - 4 Groups] E8A Fourier analysis; RMS measurements; average | 256 E8A10 What is the purpose of a low-pass filter used at the output of a digital-to-analog converter? Remove spurious sampling artifacts from the output signal |
| crystal crystal E7H06 Which of these functions can be performed by a phase-locked loop? | RF power and peak envelope power (PEP); analog/digital conversion E8A01 What technique shows that a square wave is made up of a sine wave and its odd harmonics? | E8A11 Which of the following is a measure of the quality of an analog-to-digital converter? Total harmonic distortion E8B Modulation and demodulation: modulation |
| Frequency synthesis and FM demodulation | Fourier analysis | methods; modulation index and deviation ratio; frequency- and time-division multiplexing; |

| orthogonal frequency-division multiplexing (OFDM) | The ratio of the maximum carrier frequency deviation to the highest audio modulating | E8C09 Which digital code allows only one bit to change between sequential code values? |
|---|--|---|
| E8B01 What is the modulation index of an FM signal? | frequency | Gray code |
| The ratio of frequency deviation to modulating signal frequency | E8B10 What is frequency division multiplexing (FDM)? | E8C10 How can data rate be increased without increasing bandwidth? |
| E8B02 How does the modulation index of a phase- | Dividing the transmitted signal into separate | Using a more efficient digital code |
| modulated emission vary with RF carrier frequency? | frequency bands that each carry a different data stream | E8C11 What is the relationship between symbol rate and baud? |
| It does not depend on the RF carrier frequency | E8B11 What is digital time division multiplexing? | They are the same |
| E8B03 What is the modulation index of an FM phone | Two or more signals are arranged to share discrete | E8C12 What factors affect the bandwidth of a |
| signal having a maximum frequency deviation of | time slots of a data transmission | transmitted CW signal? |
| 3000 Hz either side of the carrier frequency if the | E8C Digital signals: digital communication modes; | Keying speed and shape factor (rise and fall time) |
| highest modulating frequency is 1000 Hz? | information rate vs. bandwidth; error correction; | E8C13 What is described by the constellation |
| 3 | constellation diagrams | diagram of a QAM or QPSK signal? |
| E8B04 What is the modulation index of an FM phone signal having a maximum carrier deviation of plus | E8C01 What is Quadrature Amplitude Modulation or | The possible phase and amplitude states for each symbol |
| or minus 6 kHz if the highest modulating frequency | QAM? | E8C14 What type of addresses do nodes have in a |
| is 2 kHz? | Transmission of data by modulating the amplitude | mesh network? |
| 3 | of two carriers of the same frequency but 90 | Internet Protocol (IP) |
| E8B05 What is the deviation ratio of an FM phone | degrees out of phase | E8C15 What technique do individual nodes use to |
| signal having a maximum frequency swing of plus | E8C02 What is the definition of symbol rate in a | form a mesh network? |
| or minus 5 kHz if the highest modulation frequency | digital transmission? | Discovery and link establishment protocols |
| is 3 kHz? | The rate at which the waveform changes to convey information | E8D Keying defects and overmodulation of digital |
| 1.67 | | signals; digital codes; spread spectrum |
| E8B06 What is the deviation ratio of an FM phone | E8C03 Why should the phase of a PSK signal be | |
| signal having a maximum frequency swing of plus | changed at the zero crossing of the RF signal? | E8D01 Why are received spread spectrum signals |
| or minus 7.5 kHz if the highest modulation | To minimize bandwidth | resistant to interference? |
| frequency is 3.5 kHz? | E8C04 What technique minimizes the bandwidth of a | Signals not using the spread spectrum algorithm are |
| 2.14 | PSK31 signal? Use of sinusoidal data pulses | suppressed in the receiver |
| E8B07 Orthogonal frequency-division multiplexing | • | E8D02 What spread spectrum communications |
| (OFDM) is a technique used for which types of | E8C05 What is the approximate bandwidth of a 13- WPM International Morse Code transmission? | technique uses a high-speed binary bit stream to |
| amateur communication? | | shift the phase of an RF carrier? |
| Digital modes | 52 Hz | Direct sequence |
| E8B08 What describes orthogonal frequency-division | E8C06 What is the bandwidth of an FT8 signal? 50 Hz | E8D03 Which describes spread spectrum frequency |
| multiplexing (OFDM)? | | hopping? Banidly yanging the frequency of a transmitted |
| A digital modulation technique using subcarriers at | E8C07 What is the bandwidth of a 4,800-Hz | Rapidly varying the frequency of a transmitted |
| frequencies chosen to avoid intersymbol | frequency shift, 9,600-baud ASCII FM transmission? | signal according to a pseudorandom sequence |
| interference | 15.36 kHz | E8D04 What is the primary effect of extremely short rise or fall time on a CW signal? |
| E8B09 What is deviation ratio? | | The generation of key clicks |
| | E8C08 How does ARQ accomplish error correction? | The generation of key clicks |
| | If errors are detected, a retransmission is requested | |

| E8D05 What is the most common method of | E9A03 What term describing total radiated power | E9B Antenna patterns and designs: azimuth and |
|--|--|--|
| reducing key clicks? | takes into account all gains and losses? | elevation patterns; gain as a function of pattern; |
| Increase keying waveform rise and fall times | Effective radiated power | antenna modeling |
| E8D06 What is the advantage of including parity bits | E9A04 Which of the following factors affect the feed | E9B01 What is the 3 dB beamwidth of the antenna |
| in ASCII characters? | point impedance of an antenna? | radiation pattern shown in Figure E9-1? |
| Some types of errors can be detected | Antenna height | 50 degrees |
| E8D07 What is a common cause of overmodulation | E9A05 What does the term "ground gain" mean? | Figure E9-1 |
| of AFSK signals? | An increase in signal strength from ground | |
| Excessive transmit audio levels | reflections in the environment of the antenna | 120 60 |
| E8D08 What parameter evaluates distortion of an | E9A06 What is the effective radiated power (ERP) of | -3- Free-Space |
| AFSK signal caused by excessive input audio levels? | a repeater station with 200 watts transmitter | |
| Intermodulation Distortion (IMD) | power output, 4 dB feed line loss, 3.2 dB duplexer | 150 -12 30 |
| E8D09 What is considered an acceptable maximum | loss, 0.8 dB circulator loss, and 10 dBd antenna | |
| IMD level for an idling PSK signal? | gain? | -24 |
| -30 dB | 317 watts | 180 0 |
| E8D10 What are some of the differences between | E9A07 What is the effective isotropic radiated power | |
| the Baudot digital code and ASCII? | (EIRP) of a repeater station with 200 watts | HXXXX |
| Baudot uses 5 data bits per character, ASCII uses 7 | transmitter power output, 2 dB feed line loss, 2.8 | |
| or 8; Baudot uses 2 characters as letters/figures | dB duplexer loss, 1.2 dB circulator loss, and 7 dBi | -150 -30 |
| shift codes, ASCII has no letters/figures shift code | antenna gain? | |
| E8D11 What is one advantage of using ASCII code for | 252 watts | -120 -60 |
| data communications? | E9A08 Which frequency band has the smallest first | |
| It is possible to transmit both uppercase and | Fresnel zone? | E9B02 What is the front-to-back ratio of the antenna |
| lowercase text | 5.8 GHz | radiation pattern shown in Figure E9-1? |
| SUBELEMENT E9 - ANTENNAS AND TRANSMISSION | E9A09 What is antenna efficiency? | 18 dB |
| LINES [8 Exam Questions - 8 Groups] | Radiation resistance divided by total resistance | E9B03 What is the front-to-side ratio of the antenna |
| E9A Basic antenna parameters: radiation resistance, | E9A10 Which of the following improves the | radiation pattern shown in Figure E9-1? |
| gain, beamwidth, efficiency; effective radiated | efficiency of a ground-mounted quarter-wave | 14 dB |
| power (ERP) and effective isotropic radiated power | vertical antenna? | E9B04 What is the front-to-back ratio of the |
| (EIRP) | Installing a ground radial system | radiation pattern shown in Figure E9 2? |
| E9A01 What is an isotropic radiator? | E9A11 Which of the following determines ground | 28 dB |
| A hypothetical, lossless antenna having equal | losses for a ground-mounted vertical antenna | E9B05 What type of antenna pattern is shown in |
| radiation intensity in all directions used as a | operating on HF? | Figure E9-2? |
| reference for antenna gain | Soil conductivity | Elevation |
| E9A02 What is the effective radiated power (ERP) of | E9A12 How much gain does an antenna have | E9B06 What is the elevation angle of peak response |
| a repeater station with 150 watts transmitter | compared to a half-wavelength dipole if it has 6 dB | in the antenna radiation pattern shown in Figure |
| power output, 2 dB feed line loss, 2.2 dB duplexer | gain over an isotropic radiator? | E9-2? |
| loss, and 7 dBd antenna gain? | 3.85 dB | 7.5 degrees |
| 286 watts | | |

| Figure E9-2 | E9C02 What type of radiation pattern is created by | Radiation at low angles increases |
|--|--|---|
| - | two 1/4-wavelength vertical antennas spaced 1/4- | E9C12 Which of the following describes an extended |
| 90 Over Real Ground | wavelength apart and fed 90 degrees out of phase? | double Zepp antenna? |
| | Cardioid | A center-fed 1.25-wavelength dipole antenna |
| | E9C03 What type of radiation pattern is created by | E9C13 How does the radiation pattern of a |
| $\land \land $ | two 1/4-wavelength vertical antennas spaced 1/2- wavelength apart and fed in phase? | horizontally polarized antenna vary with increasing height above ground? |
| 150 30 | A figure-eight broadside to the axis of the array | The takeoff angle of the lowest elevation lobe |
| | E9C04 What happens to the radiation pattern of an | decreases |
| | unterminated long wire antenna as the wire length | E9C14 How does the radiation pattern of a |
| | is increased? | horizontally-polarized antenna mounted above a |
| 180 0 0 | Additional lobes form with major lobes increasingly | long slope compare with the same antenna |
| -40-30 -20 -10 | aligned with the axis of the antenna | mounted above flat ground? |
| E9B07 What is the difference in radiated power | E9C05 What is the purpose of feeding an off-center- | The main lobe takeoff angle decreases in the |
| between a lossless antenna with gain and an | fed dipole (OCFD) between the center and one end | downhill direction |
| isotropic radiator driven by the same power? | instead of at the midpoint? | E9D Yagi antennas; parabolic reflectors; feed point |
| They are the same E9B08 What is the far field of an antenna? | To create a similar feed point impedance on | impedance and loading of electrically short |
| The region where the shape of the radiation pattern | multiple bands | antennas; antenna Q; RF grounding |
| no longer varies with distance | E9C06 What is the effect of adding a terminating | E9D01 How much does the gain of an ideal parabolic |
| E9B09 What type of analysis is commonly used for | resistor to a rhombic or long-wire antenna? | reflector antenna increase when the operating |
| modeling antennas? | It changes the radiation pattern from bidirectional | frequency is doubled? |
| Method of Moments | to unidirectional | 6 dB |
| E9B10 What is the principle of a Method of Moments | E9C07 What is the approximate feed point | E9D02 How can two linearly polarized Yagi antennas |
| analysis? | impedance at the center of a two-wire half-wave | be used to produce circular polarization? |
| A wire is modeled as a series of segments, each | folded dipole antenna? | Arrange two Yagis on the same axis and |
| having a uniform value of current | 300 ohms E9C08 What is a folded dipole antenna? | perpendicular to each other with the driven |
| E9B11 What is a disadvantage of decreasing the | A half-wave dipole with an additional parallel wire | elements at the same point on the boom and fed |
| number of wire segments in an antenna model | connecting its two ends | 90 degrees out of phase |
| below 10 segments per half-wavelength? | E9C09 Which of the following describes a G5RV | E9D03 What is the most efficient location for a |
| The computed feed point impedance may be | antenna? | loading coil on an electrically short whip? Near the center of the vertical radiator |
| incorrect | A wire antenna center-fed through a specific length | E9D04 Why should antenna loading coils have a high |
| E9C Practical wire antennas; folded dipoles; phased | of open-wire line connected to a balun and | ratio of reactance to resistance? |
| arrays; effects of ground near antennas | coaxial feed line | To maximize efficiency |
| E9C01 What type of radiation pattern is created by | E9C10 Which of the following describes a Zepp | E9D05 Approximately how long is a Yagi's driven |
| two 1/4-wavelength vertical antennas spaced 1/2- | antenna? | element? |
| wavelength apart and fed 180 degrees out of | An end-fed half-wavelength dipole | 1/2 wavelength |
| phase? | E9C11 How is the far-field elevation pattern of a | E9D06 What happens to SWR bandwidth when one |
| A figure-eight oriented along the axis of the array | vertically polarized antenna affected by being | or more loading coils are used to resonate an |
| | mounted over seawater versus soil? | electrically short antenna? |

| E9D07 What is an advantage of top loading an electrically short HF vertical antenna? Improved radiation efficiency E9D08 What happens as the Q of an antenna increases? SWR bandwidth decreases E9D09 What is the function of a loading coil in an electrically short antenna? To resonate the antenna by cancelling the capacitive reactance E9D10 How does radiation resistance of a base-fed whip antenna change below its resonant frequency? Radiation resistance decreases E9D11 Why do most two-element Yagis with normal spacing have a reflector instead of a director? Higher gain E9D12 What is the purpose of making a Yagi's parasitic elements either longer or shorter than | impedance is required to use a beta or hairpin matching system? Capacitive (driven element electrically shorter than 1/2 wavelength) E9E06 Which of these transmission line impedances would be suitable for constructing a quarter-wave Q-section for matching a 100-ohm feed point impedance to a 50-ohm transmission line? 75 ohms E9E07 What parameter describes the interaction of a load and transmission line? Reflection coefficient E9E08 What is a use for a Wilkinson divider? To divide power equally between two 50-ohm loads while maintaining 50-ohm input impedance E9E09 Which of the following is used to shunt feed a grounded tower at its base? Gamma match E9E10 Question Deleted | transmission line present to an RF generator when the line is shorted at the far end? Very low impedance E9F05 What is microstrip? Precision printed circuit conductors above a ground plane that provide constant impedance interconnects at microwave frequencies E9F06 What is the approximate physical length of an air-insulated, parallel conductor transmission line that is electrically 1/2 wavelength long at 14.10 MHz? 10.6 meters E9F07 How does parallel conductor transmission line compare to coaxial cable with a plastic dielectric? Lower loss E9F08 Which of the following is a significant difference between foam dielectric coaxial cable and solid dielectric coaxial cable, assuming all other parameters are the same? |
|--|---|--|
| resonance? Control of phase shift E9E Impedance matching: matching antennas to feed lines; phasing lines; power dividers E9E01 Which matching system for Yagi antennas requires the driven element to be insulated from the boom? | E9E11 What is the purpose of using multiple driven elements connected through phasing lines? To control the antenna's radiation pattern E9F Transmission lines: characteristics of open and shorted feed lines; coax versus open wire; velocity factor; electrical length; coaxial cable dielectrics; microstrip | All these choices are correct Foam dielectric coaxial cable has lower safe maximum operating voltage Foam dielectric coaxial cable has lower loss per unit of length Foam dielectric coaxial cable has higher velocity factor E9F09 What impedance does a 1/4-wavelength |
| Beta or hairpin E9E02 What antenna matching system matches coaxial cable to an antenna by connecting the shield to the center of the antenna and the conductor a fraction of a wavelength to one side? Gamma match E9E03 What matching system uses a short length of transmission line connected in parallel with the feed line at or near the feed point? Stub match E9E04 What is the purpose of the series capacitor in a gamma match? | E9F01 What is the velocity factor of a transmission line? The velocity of a wave in the transmission line divided by the velocity of light in a vacuum E9F02 Which of the following has the biggest effect on the velocity factor of a transmission line? The insulating dielectric material E9F03 Why is the electrical length of a coaxial cable longer than its physical length? Electromagnetic waves move more slowly in a coaxial cable than in air | transmission line present to an RF generator when the line is shorted at the far end? Very high impedance E9F10 What impedance does a 1/8-wavelength transmission line present to an RF generator when the line is shorted at the far end? An inductive reactance E9F11 What impedance does a 1/8-wavelength transmission line present to an RF generator when the line is open at the far end? A capacitive reactance E9F12 What impedance does a 1/4-wavelength transmission line present to an RF generator when |

| Very low impedance | Reactance axis | E9H06 What indicates the correct value of |
|---|--|--|
| E9G The Smith chart | E9G07 On the Smith chart shown in Figure E9-3, | terminating resistance for a Beverage antenna? |
| E9G01 Which of the following can be calculated | what is the only straight line shown? | Minimum variation in SWR over the desired |
| using a Smith chart? | The resistance axis | frequency range |
| Impedance along transmission lines | E9G08 How is a Smith chart normalized? | E9H07 What is the function of a Beverage antenna's |
| E9G02 What type of coordinate system is used in a | Reassign the prime center's impedance value | termination resistor? |
| Smith chart? | E9G09 What third family of circles is often added to a | Absorb signals from the reverse direction |
| Resistance circles and reactance arcs | Smith chart during the process of designing | E9H08 What is the function of a sense antenna? |
| E9G03 Which of the following is often determined | impedance matching networks? | It modifies the pattern of a DF antenna to provide a |
| using a Smith chart? | Constant-SWR circles | null in only one direction |
| Impedance and SWR values in transmission lines | E9G10 What do the arcs on a Smith chart represent? | E9H09 What type of radiation pattern is created by a |
| E9G04 What are the two families of circles and arcs | Points with constant reactance | single-turn, terminated loop such as a pennant |
| that make up a Smith chart? | E9G11 In what units are the wavelength scales on a | antenna? |
| Resistance and reactance | Smith chart calibrated? | Cardioid |
| E9G05 Which of the following is a common use for a | In fractions of transmission line electrical | E9H10 How can the output voltage of a multiple-turn |
| Smith chart? | wavelength | receiving loop antenna be increased? |
| Determine the length and position of an impedance | E9H Receiving antennas: radio direction finding (RDF) | By increasing the number of turns and/or the area |
| matching stub | techniques; Beverage antennas; single- and | enclosed by the loop |
| Figure E9-3 | multiple-turn loops | E9H11 What feature of a cardioid pattern antenna |
| rigure La-J | E9H01 When constructing a Beverage antenna, | makes it useful for direction-finding antennas? |
| 01 | which of the following factors should be included | A single null |
| | in the design to achieve good performance at the | SUBELEMENT EO - SAFETY - [1 exam question - 1 |
| 80 | desired frequency? | group] |
| | It should be at least one wavelength long | EOA Safety: RF radiation hazards; hazardous |
| | E9H02 Which is generally true for 160- and 80-meter | materials; grounding |
| 50 | receiving antennas? | E0A01 What is the primary function of an external |
| | Atmospheric noise is so high that directivity is much | earth connection or ground rod? |
| | more important than losses | Lightning charge dissipation |
| | E9H03 What is receiving directivity factor (RDF)? | E0A02 When evaluating RF exposure levels from your |
| | Peak antenna gain compared to average gain over | station at a neighbor's home, what must you do? |
| 02 | the hemisphere around and above the antenna | Ensure signals from your station are less than the |
| | E9H04 What is the purpose of placing an | uncontrolled maximum permissible exposure |
| | electrostatic shield around a small-loop direction- | (MPE) limits |
| | finding antenna? | E0A03 Over what range of frequencies are the FCC |
| 03 | It eliminates unbalanced capacitive coupling to the | human body RF exposure limits most restrictive? |
| 9 | antenna's surroundings, improving the depth of | 30 - 300 MHz |
| | its nulls | E0A04 When evaluating a site with multiple |
| E9G06 On the Smith chart shown in Figure E9-3, | E9H05 What challenge is presented by a small wire- | transmitters operating at the same time, the |
| what is the name for the large outer circle on | loop antenna for direction finding? | operators and licensees of which transmitters are |
| which the reactance arcs terminate? | It has a bidirectional null pattern | I |

responsible for mitigating over-exposure situations?

- Each transmitter that produces 5 percent or more of its MPE limit in areas where the total MPE limit is exceeded
- EOA05 What hazard is created by operating at microwave frequencies?
- The high gain antennas commonly used can result in high exposure levels
- EOA06 Why are there separate electric (E) and magnetic (H) MPE limits at frequencies below 300 MHz?

All these choices are correct

- The body reacts to electromagnetic radiation from both the E and H fields
- Ground reflections and scattering cause the field strength to vary with location
- E field and H field radiation intensity peaks can occur at different locations
- EOA07 What is meant by "100% tie-off" regarding tower safety?
- At least one lanyard attached to the tower at all times

E0A08 What does SAR measure?

- The rate at which RF energy is absorbed by the body EOA09 Which of the following types of equipment are exempt from RF exposure evaluations?
- Hand-held transceivers sold before May 3, 2021
- EOA10 When must an RF exposure evaluation be performed on an amateur station operating on 80 meters?

An evaluation must always be performed

EOA11 To what should lanyards be attached while climbing?

Tower legs

EOA12 Where should a shock-absorbing lanyard be attached to a tower when working above ground? Above the climber's head level